SDT	rw	/users/cypher/d18/tg4_mac_phy.sdt
	rw	/users/cypher/d18/

TG4 SDL System Structure 11

signal_definition	rw	signal_definition.sun
Phy_package	rw	Phy_package.sun
Phy_block	rw	Phy_block.sbt
x:y Phy_layer (1,1) : Phy_layer		
Phy_layer	rw	Phy_layer.spt
construct_PPDU	rw	construct_PPDU.spd
get_PhyPIB	rw	get_PhyPIB.spd
init_Phy_variables	rw	init_Phy_variables.spd
init_PhyPIB	rw	init_PhyPIB.spd
parse_frame	rw	parse_frame.spd
set_PhyPIB	rw	set_PhyPIB.spd
is_it_supported	rw	is_it_supported.spd
MAC_package	rw	MAC_package.sun
MAC_block	rw	MAC_block.sbt
x:y MAC_sublayer (1,1) : MAC_sublayer		
MAC_sublayer	rw	MAC_sublayer.spt
activation_of_slot	rw	activation_of_slot.spd
apply_security	rw	apply_security.spd
calculate_remaining	rw	calculate_remaining.spd
can_complete_TX	rw	can_complete_TX.spd
check_ACL	rw	check_ACL.spd
check_entry_msduHandle	rw	check_entry_msduHandle.s
check_entry_time	rw	check_entry_time.spd
calculate_duration	rw	calculate_duration.spd
check_for_GTS	rw	check_for_GTS.spd

check_for_match	rw	check_for_match.spd
check_GTS_in_beacon	rw	check_GTS_in_beacon.spd
GTS_nd_activate	rw	GTS_nd_activate.spd
check_pending	rw	check_pending.spd
check_pending_16	rw	check_pending_16.spd
check_pending_64	rw	check_pending_64.spd
check_pending_transactions	rw	check_pending_transaction
convert2statM	rw	convert2statM.spd
create_Acknowledgement	rw	create_acknowledgement.sp
create_assoc_cmd	rw	create_assoc_cmd.spd
create_assocresp_cmd	rw	create_assocresp_cmd.spd
create_beacon	rw	create_beacon.spd
fill_in_GTSlist	rw	fill_in_GTSlist.spd
create_beacon_request_cmd	rw	create_beacon_request_cmd
create_data	rw	create_data.spd
create_data_GTS	rw	create_data_GTS.spd
create_data_zero	rw	create_data_zero.spd
create_data_request_cmd	rw	create_data_request_cmd.sp
create_data_request_poll	rw	create_data_request_poll.sp
create_disassoc_cmd	rw	create_disassoc_cmd.spd
create_GTS_request_cmd	rw	create_GTS_request_cmd.s
create_orphan_cmd	rw	create_orphan_cmd.spd
create_pid_con_cmd	rw	create_pid_con_cmd.spd
create_realign_cmd	rw	create_realign_cmd.spd
create_realign_B_cmd	rw	create_realign_B_cmd.spd
decode_security	rw	decode_security.spd
delete_entry	rw	delete_entry.spd
delete_pending	rw	delete_pending.spd
empty_buffer	rw	empty_buffer.spd
get_MacPIB	rw	get_MacPIB.spd
GTS_can_complete_TX	rw	GTS_can_complete_TX.sp
GTS_gap	rw	GTS_gap.spd

GTS_nd_remove	rw	GTS_nd_remove.spd
GTS_test_frame_length	rw	GTS_test_frame_length.spd
increment_MacBSN	rw	increment_MacBSN.spd
increment_MacDSN	rw	increment_MacDSN.spd
init_CSMA_CA	rw	init_CSMA_CA.spd
init_CSMA_CA_Unslotted	rw	init_CSMA_CA_Unslotted
init_for_scan	rw	init_for_scan.spd
init_GTS_db	rw	init_GTS_db.spd
init_MacCon	rw	init_MacCon.spd
init_MacPIB	rw	init_MacPIB.spd
locate_boundary	rw	locate_boundary.spd
mac_init	rw	mac_init.spd
next_backoff	rw	next_backoff.spd
parse_1_addr	rw	parse_1_addr.spd
parse_2_addr	rw	parse_2_addr.spd
parse_coordinator_realignment	rw	parse_coordinator_realignm
parse_GTS_request	rw	parse_GTS_request.spd
check_GTS_availability	rw	check_GTS_availability.spd
delete_GTS	rw	delete_GTS.spd
store_GTS_info	rw	store_GTS_info.spd
parse_MPDU	rw	parse_MPDU.spd
pop_psdu	rw	pop_psdu.spd
post_scan	rw	post_scan.spd
pow	rw	pow.spd
push_psdu	rw	push_psdu.spd
random_backoff	rw	random_backoff.spd
remove_all_references_to_device	rw	remove_all_references_to_
remove_all_references_to_PAN	rw	remove_all_references_to_
reset_timers	rw	reset_timers.spd
retrieve_pending	rw	retrieve_pending.spd
satisfy_minCAP	rw	satisfy_minCAP.spd

save_PAN_update_info	rw	save_PAN_update_info.spd
search_for_valid_GTS	rw	search_for_valid_GTS.spd
security_active_passive_scan	rw	security_active_passive_sca
security_not_scan	rw	security_not_scan.spd
select_channel	rw	select_channel.spd
select_response	rw	select_response.spd
set_backoff_timer	rw	set_backoff_timer.spd
set_beacon_interval	rw	set_beacon_interval.spd
set_beacon_scan_interval	rw	set_beacon_scan_interval.s
set_beacon_search_period	rw	set_beacon_search_period.s
set_defer_interval	rw	set_defer_interval.spd
set_frame_response_time	rw	set_frame_response_time.sp
set_MacPIB	rw	set_MacPIB.spd
set_superframe_interval	rw	set_superframe_interval.spd
store_beacon_info	rw	store_beacon_info.spd
store_pending_data	rw	store_pending_data.spd
test_against_CAP	rw	test_against_CAP.spd
test_associate	rw	test_associate.spd
test_current_superframe	rw	test_current_superframe.spd
test_GTS_request	rw	test_GTS_request.spd
test_mcpsdata	rw	test_mcpsdata.spd
test_poll	rw	test_poll.spd
test_RX_enable	rw	test_RX_enable.spd
test_scan	rw	test_scan.spd
test_start	rw	test_start.spd
Update_PAN	rw	update_PAN.spd
update_beacon_information	rw	update_beacon_information
update_superframe	rw	update_superframe.spd
update_unscanned	rw	update_unscanned.spd

TG4_MAC_PHY	rw	TG4_MAC_PHY.ssy
x:y MAC : MAC_block		
x:y PHY : Phy_block		

pd

s.spd

d

.spd

d

d

pd

d

.spd

ent.spd

d

device.spd
PAN.spd

n.spd

pd
pd

pd

d

.spd

Chapter TG4 SDL System Structure